SEQUENCE LISTING

```
Olson, Gary L.
      Self, Christopher
      Lee, Lily
      Cook, Charles M.
      Birktopf, Jens
<120> THERAPEUTIC AGENTS AND METHODS OF USE THEREOF FOR THE
      MODULATION OF ANGIOGENESIS
<130> PPI-106CP2
<140> US 10/001,945
<141> 2001-11-01
<150> US 09/972,772
<151> 2001-10-05
<150> US 09/704,251
<151> 2000-11-01
<160> 37
<170> PatentIn Ver. 2.0
<210> 1
<211>-4
<212> PRT
<213> Artificial Sequence
<220>
<221> VARIANT
<223> Xaa at position 4 may be any amino acid
<223> Description of Artificial Sequence: Motifs
<400> 1
Pro Leu Gly Xaa
  1
<210> 2
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<221> VARIANT
<222> 2
<223> Xaa at position 2 represents L-cyclohexylalanine
<220>
<221> VARIANT
<222> 4
```

```
<223> Xaa at position 4 represents methylated cysteine
<220>
<223> Description of Artificial Sequence: Motifs
<400> 2
Pro Xaa Gly Xaa His
<2.10> 3
<211> 8
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 8
<223> Xaa at position 8 represents D-Arginine
<400> 3
Pro Gln Gly Ile Ala Gly Gln Xaa
 1
<210> 4
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
Pro Gln Gly Ile Ala Gly Trp
  1
<210> 5
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents methylated cysteine
<220>
<221> VARIANT
<222> 7
```

```
<223> Xaa at position 7 represents D-Arginine
 <400> 5
· Pro Leu Gly Xaa His Ala Xaa
 <210> 6
 <211> 7
 <212> PRT
 <213> Artificial Sequence
 <223> Description of Artificial Sequence: Motifs
 <220>
 <221> VARIANT
 <223> Xaa at position 7 represents D-Arginine
 <400> 6
 Pro Leu Gly Leu Trp Ala Xaa
 <210> 7
 <211> 7
 <212> PRT
 <213> Artificial Sequence
 <223> Description of Artificial Sequence: Motifs
 <400> 7
 Pro Leu Ala Leu Trp Ala Arg
                   5
 <210> 8
 <211> 7
 <212> PRT
 <213> Artificial Sequence
 <223> Description of Artificial Sequence: Motifs
Pro Leu Ala Leu Trp Ala Arg
  1
<210> 9
 <211> 7
 <212> PRT
<213> Artificial Sequence
<220>
```

```
<223> Description of Artificial Sequence: Motifs
<400> 9
Pro Leu Ala Tyr Trp Ala Arg
  1
<210> 10
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<400> 10
Pro Tyr Ala Tyr Trp Met Arg
<210> 11
<211> 6
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 2
<223> Xaa at position 2 represents L-cyclohexylalanine
<220>
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents L-norvaline
<400> 11
Pro Xaa Gly Xaa His Ala
<210> 12
<211> 4
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents L-norvaline
<400> 12
Pro Leu Ala Xaa
```

1

```
<210> 13
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<400> 13
Pro Leu Gly Leu
<210> 14
<211> 4
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 14
Pro Leu Gly Ala
<210> 15
<211> 8
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 15
Arg Pro Leu Ala Leu Trp Arg Ser
<210> 16
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 2
<223> Xaa at position 2 represents L-cyclohexylalanine
<220>
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents L-a-aminobutyryl
```

```
<220>
<221> VARIANT
<222> 5
<223> Xaa at position 5 represents methylated cysteine
<400> 16
Pro Xaa Ala Xaa Xaa His Ala
<210> 17
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 2
<223> xaa at position 2 represents L-cyclohexylalanine
<220>
<221> VARIANT
<222> 5
<223> Xaa at position 5 represents methylated cysteine
<400> 17
Pro Xaa Ala Gly Xaa His Ala
<210> 18
<211> 9
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 18
Pro Lys Pro Gln Gln Phe Phe Gly Leu
 1
                  5
<210> 19
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<400> 19
Pro Lys Pro Leu Ala Leu
 1
                  5
```

```
<210> 20
<211> 9
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents L-norvaline
<400> 20
Arg Pro Lys Pro Tyr Ala Xaa Trp Met
<210> 21
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents L-norvaline
<400> 21
Arg Pro Lys Pro Val Glu Xaa Trp Arg
                  5
<210> 22
<211> 9
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 7
<223> Xaa at position 7 represents L-norvaline
<400> 22
Arg Pro Lys Pro Val Glu Xaa Trp Arg
                  5
 1
```

<210> 23

```
<211> 8
 <212> PRT
<213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Motifs
 <220>
 <221> VARIANT
 <222> 7
 <223> Xaa at position 7 represents L-norvaline
 <400> 23
 Arg Pro Lys Pro Leu Ala Xaa Trp
 <210> 24
 <211> 6
 <212> PRT
 <213> Artificial Sequence
 <223> Description of Artificial Sequence: Motifs
 <220>
 <221> VARIANT
 <222> 1
 <223> Xaa at position 1 represents a modified Proline
       residue having an acetyl group attached
 <400> 24
 Xaa Leu Gly Met Trp Ala
 <210> 25
 <211> 8
 <212> PRT
 <213> Artificial Sequence
 <223> Description of Artificial Sequence: Motifs
 <400> 25
Gly Pro Leu Gly Met His Ala Gly
  1
                   5
<210> 26
 <211> 4
 <212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<220>
```

```
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents methylated glycine
<400> 26
Gly Pro Leu Xaa
  1
<210> 27
<211> 4
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 27
Gly Pro Leu Gly
<210> 28
<211> 5
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 28
Gly Met Gly Leu Pro
<210> 29
<211> 5
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 29
Ala Met Gly Ile Pro
  1
<210> 30
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<220>
```

```
<221> VARIANT
<222> 4
<223> Xaa at position 4 represents a modified tyrosine
      residue having an O-Methyl group attached
<400> 30
Arg Gly Asp Xaa Arg Glu
<210> 31
<211> 6
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 31
Gly Arg Gly Asp Ser Pro
<210> 32
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<400> 32
Gly Arg Gly Asp
  1
<210> 33
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 1
<223> Xaa at position 1 represents a modified Proline
      residue having an acetyl group attached
<400> 33
Xaa Leu Gly Met Ala
  1
<210> 34
<211> 10
<212> PRT
```

```
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<220>
<221> VARIANT
<222> 1
<223> Xaa at position 1 represents a modified Arginine
      residue having an acetyl group attached
Xaa Gly Asp Ser Pro Leu Gly Met Trp Ala
                  5
<210> 35
<211> 7
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 35
Pro Leu Gly Met Trp Ser Arg
<210> 36
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Motifs
<220>
<221> Acetylation
<222> (1)...(5)
<400> 36
Pro Leu Gly Met Gly
  1
                  5
<210> 37
<211> 8
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Motifs
<400> 37
Gly Pro Leu Gly Met Trp Ala Gly
                  5
```